

#### Bullard Independent School District

## **Asthma Action Plan**

Place

Student's Name:	D.O.B		Student's Picture
Koutine Medications:			Here
	• TRIGGERS		
□Exercise	□Emotions (when upset)	□Cigarette smoke, smog, s	strong odors
□Colds (viral illnesses)	□Irritants: Chalk dust, dust	□Weather changes	
□Molds	□Pollens (trees, grasses, weeds)	□Cold air weather changes	3
□Animal dander- Type		□ Dust and dust mites	
□Other			
	YMPTOMS OF RESPIRATO		
□Coughing	$\Box$ Chest tightness $\Box$ S		ırning blue
□Wheezing	1 2	lueness of fingernails or lips	
□Rapid, labored breathing			
	neck muscles, collar bone, between		
	nversation due to breathing		
□Decreasing or loss of con	osciousness □Other		
	• INSTRUCTIONS FO	OR STAFF •	
■ Have student stop whate	ver they are doing		
	linic when experiencing respiratory	difficulty as described above	
	ven permission to self-medicate with		dent to use inhaler
_	AUTHORIZATION FOR SELF-C		
_	CHOOL		
	Parent/quardian initial		

#### • FIELD TRIPS •

- Medications and peak flow meter MUST accompany student on all field trips
- A copy of this Action Plan and current phone numbers MUST be with staff member
- Teacher must be instructed on correct use of asthma medications

#### • EMERGENCY CONTACTS •

•Please give at least two contacts•

Name/Relationship	Phone Number 1	Phone Number 2
1.		
2.		
3.		
4.		



# **Asthma Action Plan**

### ASTHMA INTERVENTION WITH OR WITHOUT PEAK FLOW METER READINGS

<< <green zone="">&gt;&gt;</green>	<< <treatment plan="">&gt;&gt;</treatment>
Good Control	1 D '1 1 1 1' 1' X X
No cough or wheeze	1. Daily school medication □ Yes □ No:
Tolerating activity easily	2. Use before exercise/physical activity □ Yes □ No
• Peak flow above	3. Other
Indicates the student's asthma is under good control.  This is where he/she should be every day.	
<< <yellow zone="">&gt;&gt; Worsening Asthma</yellow>	<< <treatment plan="">&gt;&gt;</treatment>
Worsening symptoms	1. Rescue inhaler:
More short of breath with activity	2. Recheck peak flow 10 minutes after treatment. May return to class if symptoms and peak flow
<ul> <li>Need rescue inhaler more often than usual</li> </ul>	improve. Vigorous activity should be avoided.
or	May repeat inhaler if no improvement in 20 minutes
peak flow between &	□ Yes □ No
Indicates a warning that a student's asthma may flare unless	3. Call parent and inform of situation.
additional measures are taken	4. If student is not improving or getting worse, follow RED ZONE plan.
<< <red zone="">&gt;&gt; Danger Zone</red>	<< <treatment plan="">&gt;&gt;</treatment>
Getting little relief from inhalers	1. Call parent to inform of urgent situation.
or • Peak flow below	2. If symptoms continue to be severe and/or parents
	aren't available call <b>911</b> .
More breathless despite increased medications.	3. Urgent Medications:
Peak flows do not respond to rescue inhaler/nebs.	er ergenvintende
This is student's danger zone.	Name/dosage/route
• It is understood by the parent's and physician that this plan may	mission for this plan to be available for use in my child's school, and ne, fax, or in writing when necessary to complete this plan. It is the carried out by the school personnel other than the school nurse. In status or medications change and it is the responsibility of the parent
Parent/Guardian Signature	Date

Physician's Signature	Date	Teacher's Signature	Date
School Nurse's Signature	Date	Principal's Signature	Date

Page 2 of 2